

# UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/617,579 07/11/2003		/2003	Daniel P. Turi	6201.001	3667	
34282	7590	06/15/2004	EXAM	EXAMINER		
QUARLES	& BRADY	STERLING	STERLING, AMY JO			
ONE SOUT	'H CHURCH A					
SUITE 1700	)	ART UNIT	PAPER NUMBER			
TUCSON,	AZ 85701-162	21	3632	3632		
				DATE MAIL ED: 06/15/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

( .	•				Λ
1		Application N		Applicant(s)	/
N		10/617,579		TURI ET AL.	<b>N</b> /
	Office Action Summary	Examiner		Art Unit	<del>(\                                  </del>
`		Amy J. Sterling	9	3632	$\mathcal{W}$
Period fo	The MAILING DATE of this communication	n appears n the c v	er sheet with the c	orrespondenc ad	dress -
A SH THE   - Exter after - If the - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR R MAILING DATE OF THIS COMMUNICATI nsions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communicatio period for reply specified above is less than thirty (30) days, period for reply is specified above, the maximum statutory pre to reply within the set or extended period for reply will, by eply received by the Office later than three months after the ed patent term adjustment. See 37 CFR 1.704(b).	ON. FR 1.136(a). In no event, hoon. a reply within the statutory repend will apply and will expisatute, cause the application	wever, may a reply be tim ninimum of thirty (30) days re SIX (6) MONTHS from n to become ABANDONE	nely filed s will be considered timely the mailing date of this co D (35 U.S.C. § 133).	
Status					
1) 又	Responsive to communication(s) filed on	11 July 2003.			
•	· · · · · · · · · · · · · · · · · · ·	This action is non-fi	nal.		
3)	Since this application is in condition for all closed in accordance with the practice un	•			merits is
Dispositi	on of Claims		\		
5)□ 6)⊠ 7)□	Claim(s) <u>1-18</u> is/are pending in the applicated of the above claim(s) is/are with Claim(s) is/are allowed.  Claim(s) <u>1-18</u> is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction as	hdrawn from conside			
9)[	<b>on Papers</b> The specification is objected to by the Exa The drawing(s) filed on <u>11 July 2003</u> is/are		b)∏ objected to b	by the Examiner.	
	Applicant may not request that any objection to	•	-	=	
11)	Replacement drawing sheet(s) including the co	orrection is required if	the drawing(s) is obj	ected to. See 37 CF	
Priority ι	ınder 35 U.S.C. § 119				
	Acknowledgment is made of a claim for for All b) Some * c) None of:  1. Certified copies of the priority documents of the priority documents.	ments have been re	ceived.		
	<ul><li>2. Certified copies of the priority docu</li><li>3. Copies of the certified copies of the application from the International B</li></ul>	priority documents ureau (PCT Rule 17	have been receive .2(a)).	ed in this National	Stage
Attachmen  1) Notice 2) Notice	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-94 nation Disclosure Statement(s) (PTO-1449 or PTO/94	4) [ 8)	Interview Summary Paper No(s)/Mail Da	(PTO-413)	D-152)
	r No(s)/Mail Date <u>7/11/03</u> .	6) [		rt of Paper No./Mail Da	ate 20040602

Application/Control Number: 10/617,579

Art Unit: 3632

#### **DETAILED ACTION**

This is the first Office Action for application number 10/617,579, Detachable Weights for Stabilizing Intravenous Stands, filed on 7/11/03. Claims 1-18 are pending.

#### Information Disclosure Statement

The information disclosure statement submitted on 7/11/03 is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the examiner.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.


Claims 1-18 are rejected under 35 U.S.C. 102(b) as being anticipated by United States Patent No. 5009442 to Schneider.

The patent to Schneider discloses a device (72) with a pair of hinged (84, 86) connected planar bodies (66, 78) placed atop a wheeled (8) carriage of an IV stand (4), with a pole (6) extending vertically upwardly from the carriage, the bodies (66, 78) being moveable towards each other into a closed position about the pole and a latch means (68, 70, 74), which is mounted on the bodies to releasably clamp the pair of bodies in a

Application/Control Number: 10/617,579

Art Unit: 3632

closed position, the latch means being interconnected by the hinge. Schneider also teaches that the bodies are in contiguous linear engagement with each other, including a semi-circular notches (See The Drawing Below) formed intermediate to each body's opposite ends, making a clamshell structure and being in circumscribing engagement with the pole of the IV stand, while being swung toward each other in a closed position and a swung away from each other to an open position. Schneider also teaches a liner of resiliently deformable material (82, See Col. 5 lines 59-65 for material selection)on the mating and in the notches.



### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following documents show various devices with two opposed bodies. 2004/0011941 to Roepke et al.

Application/Control Number: 10/617,579

Art Unit: 3632

5553433 to Lang

6494273 to Martin

6619599 to Elliott et al.

6059245 to Hermansen et al.

5367822 to Beckham

5161561 to Jamieson

4511158 to Varga et al.

4332378 to Pryor

2923513 to Johnson

1517846 to Lewis

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 703-308-3271. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Leslie Braun can be reached at 703-308-2156. The fax machine number for the Technology center is 703-872-9306 (formal amendments) or 703-308-3519 (informal amendments/communications).

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 703-308-2168.

AJS

Amy J. Sterling

6/2/04

ANITA KING PRIMARY EXAMINER